

اسم الطالب	احمد حسن محمد امين
عنوان الرسالة	تقييم المعلومات والممارسات والاتجاهات لدى المرضى المصابين بتيبس المفاصل ما بعد الإصابة
Assessment of the Knowledge, Practices and Attitudes of Patients with Post Traumatic Joint Stiffness	

الخلاصة

أجريت دراسة وصفية في وحدات التأهيل في ثلاث مستشفيات بالإضافة إلى مركز للتأهيل (مستشفى ابن سينا التعليمي، مستشفى السلام التعليمي، ومستشفى الموصل العام ومركز الموصل للتأهيل) من الفترة ١٨/ شباط / ٢٠٠٧ لغاية ١٨/ آب / ٢٠٠٧ ، لتقييم معلومات وممارسات واتجاهات المرضى المصابين بتيبس المفاصل ما بعد الإصابة وعلاقتها مع بعض المتغيرات مثل (الجنس، العمر، الحالة الاجتماعية، المهنة... إلخ). اعتمدت الدراسة على استمارة استبائية خاصة مؤلفة من (٣٤) فقرة تخص المعلومات ، و(٢٤) فقرة تخص الممارسات، و(٢٦) فقرة تخص الاتجاهات. أما صدق الأداة (الاستمارة) فقد تم التأكد منها من خلال استخدام صدق المحتوى عن طريق أخذ آراء(١٥) من الخبراء في مختلف الاختصاصات وتم التأكد من ثبات الأداة باستخدام الاستمارة على عشرة مرضى مصابين بتيبس المفاصل ما بعد الإصابة واستخدام عامل كرومباك . تم اختيار عينة عمدية شملت (١١٠) مريضاً مصاباً بتيبس المفاصل ما بعد الإصابة الزائرين لوحدة التأهيل. أظهرت الدراسة أن معظم المصابين هم من الرجال، أعمارهم كانت بين (٢٢-٣١) سنة، متزوجون ويمارسون أعمال حرة ومن خريجي المدارس الابتدائية فما دون ومن سكنة المدينة، يعانون من تيبس المفاصل لفترة أقل من سنة ولم تكن لديهم إصابة سابقة بالتيبس وكانوا يعالجون بالأدوية والتأهيل كما وأظهرت نقصاً واختلافات معنوية كبيرة في معلومات ، ممارسات واتجاهات المرضى المصابين بتيبس المفاصل فيما يتعلق بالوسط النظري. واستناداً إلى نتائج الدراسة توصي الدراسة بزيادة التثقيف والوعي الصحي للمرضى الذين لديهم إصابة في مفصلهم أو كسر في أطرافهم، حول المضاعفات التي تنتج جراء عدم تحريكها لفترة طويلة، والطرق الكفيلة في منع أو تقليل تلك المضاعفات، كذلك بالنسبة للأشخاص المصابين بتيبس المفاصل بإرشادهم إلى أفضل الوسائل والممارسات لعلاج مفاصلهم المتيبسة بطريقة آمنة وبأسرع وقت.

Abstract

A descriptive study was carried out in the rehabilitation departments of three general hospitals and Rehabilitation center, (Ibn Sina Teaching Hospital, Al-Salam Teaching Hospital, Mosul General Hospital and Mosul Rehabilitation Center). During the period 18th February 2007 to 18th August 2007, to assess the knowledge, practices and attitudes of patients with post traumatic joint stiffness, and its relationship with some variables such as (sex, age, marital status, occupation,... etc).

The study depended on special questionnaire which include (34) items in knowledge, (24) items in practices and (26) items in attitudes. The validity of the tools was obtained by content validity through opinions of (15) experts in different specialties. The reliability of the tool was done by applying the questionnaire on (10) patients with post traumatic joint stiffness and using cronbach coefficient correlation. The sample of the study which chosen purposively included (110) patients with post traumatic joint stiffness who visited rehabilitation departments. The study shows that most patients are male their age range between (22-31) years, married, practicing free job, graduated from primary school and less, living in the urban, with joint stiffness in period less than one year, without previous history of joint stiffness and treated by both medication and rehabilitation. Also the study shows deficiency and highly significant differences in the knowledge, practices and attitudes of patients with joint stiffness regarding theoretical mean. According to the results, the study recommend increasing health education awareness for those with musculoskeletal trauma or fracture about the complications of immobilization for a long time and methods to prevent or reduce these complications, also for those with joint stiffness to guide them to best ways and practices for treating their stiff joint in a safe way and short ti

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.